

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
-	4705	display and rule and categor\$3 and user and computer and memory and security and application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:12
-	197	display and rule and categor\$3 and user and computer and memory and security adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:51
-	110	display and rule and categor\$3 and user and computer and memory and security adj application and menu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:55
-	2	display same rule same categor\$3 and user and computer and memory and security adj application and menu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:54
-	6	display same rule same categor\$3 and user and computer and memory and security adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:55
-	4	(display same rule same categor\$3 and user and computer and memory and security adj application) not (display same rule same categor\$3 and user and computer and memory and security adj application and menu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:54
-	32	display same screen and rule same categor\$3 and user and computer and memory and security adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:56
-	1	713/201 and categor\$6 same rules same (lock\$3 protect\$3 secure\$3) same resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 12:58
-	2	6158010.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:09
-	11	6158010.URPN.	USPAT	2004/07/23 12:59
-	684	713/164 713/166 713/167	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:09

-	1	(713/164 713/166 713/167) and security adj rules and security adj application and categor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:10
-	44	(713/164 713/166 713/167) and security and rules and application and categor\$3 and resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:11
-	7	6339826.URPN.	USPAT	2004/07/23 13:12
-	0	periodically near2 (compare) with security adj settings with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:43
-	0	periodically near2 (compar\$3) with security adj settings with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:06
-	0	periodically with (compar\$3) with security adj settings with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:06
-	0	periodically with (compar\$3) with security adj ((parameters value) permission) with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:07
-	0	period with (compar\$3) with security adj ((parameters value) permission) with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:07
-	0	automatic\$5 with (compar\$3) with security adj ((parameters value) permission) with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:08
-	0	automatic\$5 with (compar\$3) with security near3 ((parameters value) permission) with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:08
-	0	period\$6 with (compar\$3) with security near3 ((parameters value) permission) with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:08

-	0	period\$6 with (compar\$3) with security with ((parameters value) permission) with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:08
-	21	period\$6 with (compar\$3) with security with ((parameters value) permission)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:08
-	2	US-5796403-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:22
-	2	US-5991791-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:23
-	1	US-0625457-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:24
-	2	US-6158010-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:23
-	2	US-6125457-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:24
-	2	US-6154844-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:25
-	16	compar\$4 with security with (setting permission parameters) and security adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:30
-	2	automatic\$6 with reset\$4 with security near2 value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:31

-	22	reset\$4 with security near2 value not (automatic\$6 with reset\$4 with security near2 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:32
-	86	security adj setting with chang\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:33
-	0	security adj setting with chang\$3 with reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:33
-	0	security adj setting with chang\$3 with reset\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:34
-	0	security adj parameter with chang\$3 with reset\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:35
-	0	security adj parameter with (chang\$3 compar\$4) with reset\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:37
-	1	detect\$3 with security with (parameter setting value) with (compar\$4 chang\$3) with reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:38
-	13	detect\$3 with security with (parameter setting value) with modif\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:54
-	8	detect\$3 with modif\$4 adj security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:46
-	94	discover\$3 with modif\$4 adj security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:48

-	0	discover\$3 with modif\$4 adj security not rhoads.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:47
-	0	reset\$3 with security adj rules	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:49
-	0	reset\$3 with security adj parameter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:49
-	9	reset\$3 with security adj polic\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:51
-	5	chang\$3 with security adj polic\$3 with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:45
-	12	real\$1time with polic\$3 with update	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:45
-	1	detect\$3 with security with (permission) with modif\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:55
-	299	automatic\$ with user with permission	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:17
-	171	(automatic\$ with user with permission) and compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:17
-	5	automatic\$ with user with permission with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:33

-	2	user with (chang\$4 modif\$4) with setting with system with time with reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:35
-	0	user with (chang\$4 modif\$4) with polci\$3 with system with time with reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:36
-	0	user with (chang\$4 modif\$4) with polic\$3 with system with time with reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:41
-	775	security adj setting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:30
-	21	(security adj setting) with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:30
-	3	user with (chang\$4 modif\$4) with profil\$3 with system with time with reset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:41
-	0	periodically near2 (compare) with security with policy with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:43
-	0	periodically near2 (compare) with security with policy with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:43
-	0	periodically near2 (compare) with security with profile with (revert reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:43
-	2	chang\$3 with security adj profile with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:44

-	39	real\$1time with profil\$3 with update	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:36
-	2	chang\$3 with security adj profil\$3 with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:45
-	0	assures with security with (setting attribute) with changed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:36
-	1	assures with security with (setting attribute) with change	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:37
-	13	antivirus and automatic\$4 with (incorrect change reset default)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:39
-	182	713/164.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:40
-	164	713/164.ccls. and (chang\$3 modif\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:48
-	9	security adj system same monitor\$ same user same (attribute permission value) same (reset default correct setup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:01
-	14	restores with (alter\$4 modif\$4) with setting with (original default previous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:03
-	22	reset with (alter\$4 modif\$4) with setting with (original default previous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:03

-	87	reset with (alter\$4 modif\$4) with (parameter attributues value permission polic\$3 setting) with (original default previous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:05
-	20	(reset with (alter\$4 modif\$4) with (parameter attributues value permission polic\$3 setting) with (original default previous)) and secur\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:04
-	95	chang\$3 with (alter\$4 modif\$4) with (parameter attributues value permission polic\$3 setting) with (original default previous) and ("713" "380")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:06
-	34	chang\$3 with (alter\$4 modif\$4) with (parameter attributues value permission polic\$3 setting) with (original default previous) and (713/\$.ccls. 380/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:06
-	1330	(reset\$3 restore\$3 defaulting) near5 (setting permission parameters) near5 (default previous original)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:17
-	537	(reset\$3 restore\$3 defaulting) near2 (setting permission parameters) near2 (default previous original)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:17
-	2578	(reset\$3 restore\$3 defaulting) with (setting permission parameters) with (default previous original)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:18
-	26	(reset\$3 restore\$3 defaulting) near2 (setting permission parameters) near2 (default previous original) and 713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:24
-	4	monitor\$3 near2 security near3 variables	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:24
-	0	system adj analysis with (detect\$3 find\$3 monitor\$3) with chang\$3 with (paramater variable attribute permission polic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:31

-	0	system adj analysis with (detect\$3 find\$3 monitor\$3) with modfi\$3 with (paramater variable attribute permission polic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:31
-	0	system adj analysis with (detect\$3 find\$3 monitor\$3) with modfi\$4 with (paramater variable attribute permission polic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:31
-	0	system adj analysis same (detect\$3 find\$3 monitor\$3) with modfi\$4 with (paramater variable attribute permission polic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:31
-	0	system adj analysis same (detect\$3 find\$3 monitor\$3) with chang\$3 with (paramater variable attribute permission polic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:31
-	25	system adj analysis same (detect\$3 find\$3 monitor\$3) with (paramater variable attribute permission polic\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:31
-	1	detect\$3 near10 unauthorized near10 changes near10 polic\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:50
-	0	find\$3 near10 unauthorized near10 changes near10 polic\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:49
-	1	monitor\$3 near10 unauthorized near10 changes near10 polic\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:50
-	19	detect\$3 near10 unauthorized near10 changes near10 access\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:50